



Client: [Redacted]

Certified: 09/ [Redacted] /2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	KPV	Form	Lyophilized Powder
Batch	[Redacted]	Labeled Qty	10 mg
Cap Color	Orange	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.653%
Batch Avg Net Content	(~10mg)	10.66 mg
Identity Confirmation (LC-MS)	(KPV)	KPV
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.722	10.54
Vial 2	99.583	10.79
Batch Average	99.653%	10.66 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandina
Lab Director

