



Client: [Redacted]

Certified: 09/ [Redacted] /2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Tirzepatide	Form	Lyophilized Powder
Batch	[Redacted]	Labeled Qty	60 mg
Cap Color	Green	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.702%
Batch Avg Net Content	(~60mg)	59.97 mg
Identity Confirmation (LC-MS)	(Tirzepatide)	Tirzepatide
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.731	60.38
Vial 2	99.673	59.56
Batch Average	99.702%	59.97 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandina
Lab Director

